

H. D. SHELDON & COMPANY, INC.

143 WEST 29TH STREET, NEW YORK, NY 10001

TEL. (212) 924-6920 • FAX (212) 627-1759

E-MAIL: SALES@HDSHELDON.COM

ADDENDUM TO HATCO EXPORT PRICE LIST

February 1, 2009

Toast-Max Conveyor Toaster

Flexibility and performance are yours with the economical Toast-Max Conveyor Toasters. Using conveyor speed, not temperature, to determine toasting color, allows for instant

adjustment of toasting time. Toast-Max features an easy-to-use 4-position toast selector switch with off / toast / buns / stand-by (power save mode).

TOAST-MAX CONVEYOR TOASTER

Model	Description	List Price	Cap./Min.†	Dimensions (W x D x H*) w/Legs	Voltage	kW	Ship Weight
		220-240V					
TM-5H	Bread & Buns	\$826.	3 slices	289 x 416 x 387 mm (11 ³ / ₈ " x 16 ³ / ₈ " x 15 ¹ / ₄ ")	220-240	1.3-1.6	16 kg (36 lbs.)
TM-10H	Bread & Buns	970.	6 slices	368 x 416 x 387 mm (14 ¹ / ₂ " x 16 ³ / ₈ " x 15 ¹ / ₄ ")	220-240	1.9-2.3	19 kg (41 lbs.)

† Toasting capacity may vary by product. Toasting of coated products not recommended.
* Height includes 102 mm (4") legs.

All Toast-Max Models Feature:

Voltage:220-240V, 50/60 Hz, single phase.
Maximum Product Size – TM-5H:187 W x 64 H mm (7³/₈" W x 2¹/₂" H).
– TM-10H:264 W x 64 H mm (10³/₈" W x 2¹/₂" H).
Cord Location:Left side of back of unit near bottom.
ALL TOAST-MAX METAL SHEATHED HEATING ELEMENTS WARRANTED AGAINST BURNOUT AND BREAKAGE FOR TWO YEARS.



Model TM-5H

Model TM-10H

Push-up Toaster

The stylish Hatco Push-up Toaster is built to suit all heavy-duty, every day busy kitchens, and the durable polished stainless steel is stylish for any decor. Perfect for

self-serve buffet areas and lighter volume restaurants, diners, and cafes. It's a great addition to your conveyor toaster for those non-peak periods.

PUSH-UP TOASTER

Model	Description	List Price	Dimensions (WxDxH)	kW	Ship Weight
		230V			
TPU-230-4	Four Slice Push-up	\$289.	320 x 262 x 246 mm (12 ⁵ / ₈ " x 10 ³ / ₈ " x 9 ³ / ₄ ")	2.0	8 kg (18 lbs.)
TPU-230-6	Six Slice Push-up	336.	424 x 262 x 246 mm (12 ³ / ₄ " x 10 ³ / ₈ " x 9 ³ / ₄ ")	2.9	10 kg (22 lbs.)

† Toasting capacity may vary by product. Toasting of coated products not recommended.

All Push-Up Toasters Feature:

Voltage:230, single phase.
Slot Openings – TPU-230-4:W 25 x D 121 mm (1" x 4³/₄").
– TPU-230-6:W 25 x D 121 mm (1" x 4³/₄").
Bread Types:All.
Maximum Product Thickness:22 mm (7/8").
Cord Location – TPU-230-4:1829 mm (6") on bottom, back right.
– TPU-230-6:1829 mm (6") on bottom, back left.

* Toasting capacity may vary by product. Toasting of coated products not recommended.
ONE YEAR REPAIR OR REPLACE WARRANTY, CONTACT HATCO SERVICE FOR DETAILS.



Model TPU-230-4

Model TPU-230-6



FEBRUARY 1, 2009
TELEPHONE: (414) 671-6350
FAX: (414) 671-3976

The multipurpose Heated Well from Hatco offers the flexibility of food warmers, soup kettles, bain-marie heaters, steamers, and pasta cookers all in one! With a range of

temperature settings, Heat-Max can boil pasta and soup noodles, steam dim sum, and warm and hold soups, curry, gravies, and toppings at safe serving temperatures.

FREESTANDING ROUND HEATED WELL

Model*	Description	List Price	Dimensions (W x D x H)	Watts	Ship Weight
RHW-1	Round Single Well	220V \$555.	360 x 330 x 335 mm (14 ¹ / ₈ " x 13 x 13 ¹ / ₈ ")	1250	7 kg (15 lbs.)
RHW-2	Round Dual Well	998.	630 x 330 x 335 mm (24 ³ / ₄ " x 13 x 13 ¹ / ₈ ")	2500	12 kg (26 lbs.)

* Model number indicates number of wells, i.e., -2 (two wells).



Model RHW-1 with standard pot and lid

All Freestanding Round Models Feature:

Voltage:220V, single phase.
 Liquid Capacity – RHW-1:10 liters (11 qt.)
 – RHW-2:20 liters (22 qt.)
 RHW-1 Shipped with:One food holding pot and one pot lid.
 RHW-2 Shipped with:Two food holding pots and two pot lids.
 Cord Location:Back of unit.

ALL HEAT-MAX HEATED WELLS WARRANTED FOR ONE YEAR PARTS.

BUILT-IN ROUND HEATED WELL

Model	Description	List Price	Dimensions (W x D x H)	Watts	Ship Weight
RHW-1B	Round Single Well Built-in	220V \$603.	360 x 330 x 335 mm (14 ¹ / ₈ " x 13 x 13 ¹ / ₈ ")	1250	7 kg (15 lbs.)



Model RHW-1B with standard pot, lid, and remote control, ladle not included

All Built-In Round Models Feature:

Voltage:220V, single phase.
 Liquid Capacity – RHW-1B:10 liters (11 qt.)
 RHW-1B Shipped with:One food holding pot, lid, and remote control.
 Cord Location:42" cable from well to control panel, cord connects to control panel.
 ALL HEAT-MAX HEATED WELLS WARRANTED FOR ONE YEAR PARTS.

FREESTANDING & BUILT-IN RECTANGULAR HEATED WELL

Model	Description	List Price	Dimensions (W x D x H)	Watts	Ship Weight
RCTHW-1E	Rectangular Heated Well*	220V \$626.	375 x 575 x 270 mm (14 ³ / ₄ " x 22 ³ / ₄ " x 10 ⁵ / ₈ ")	2000	10 kg (22 lbs.)
RCTHW-1B	Rectangular Heated Well Built-in*	673.	375 x 575 x 230 mm (14 ³ / ₄ " x 22 ³ / ₄ " x 9")	2000	10 kg (22 lbs.)

* Model includes control on end panel. * Model includes remote control.



Model RCTHW-1E with accessory Soup Kettle Plate, Soup Pots, and Noodles Ladles.

All Freestanding Rectangular Models Feature:

Voltage:220V, single phase.
 Cord Location – RCTHW-1E:Back of unit.
 – RCTHW-1B:42" cable from well to control panel, cord connects to control panel.
 ALL HEAT-MAX HEATED WELLS WARRANTED FOR ONE YEAR PARTS.

ACCESSORIES (PRICING APPLIES ONLY AT TIME OF EQUIPMENT PURCHASE) –


RHW					
RHW-11QT POT	X04.19.1001.00	RHW 10.4 liter (11 qt.) Pot			\$143.
RHW-LID, 11QT POT	X04.19.1152.00	RHW Lid for 10.4 liter (11 qt.) Pot			\$55.
RHW-SS-STEAM	X04.19.1019.00	RHW Stainless Steel Steamer Kit (includes two baskets and one lid)			\$106.
RHW-SP	X04.19.1037.00	RHW Stainless Steel Steamer Plate			\$83.

RCTHW

RCTHW-SK	X04.19.1072.00	RCTHW Soup Kettle Plate (6.6 liters (7 qt.) pot not included)			\$157.
RCTHW-SW	X04.19.1073.00	RCTHW Bain-Marie/Sauce Warmer Plate (3.8 liters (4 qt.) pot not included)			\$162.
RCTHW-SP	X04.19.1397.00	RCTHW Steamer Plate			\$129.
RCTHW-PC	X04.19.1075.00	RCTHW Pasta Cooker Tray			\$226.
RCTHW-LADLE	X04.19.1195.00	RCTHW Noodles Ladle 127 mm (5")			\$26.
4QT-PAN&LID		RCTHW 3.9 liter (4 ¹ / ₈ qt.) Sauce Pot w/lid			\$79.
7QT-PAN&LID		RCTHW 6.9 liter (7 ¹ / ₄ qt.) Soup Pot w/lid			\$111.




Model RCTHW-1B with accessory Sauce Warmer Plate, Sauce Pots, and Noodles Ladles.




10.4 liter (11 qt.) Pot Lid
X04.19.1003.00




RHW Stainless Steel Steamer Kit
X04.19.1019.00




RHW Steamer Plate
X04.19.1037.00




RCTHW Bain-Marie/Sauce Warmer Plate
X04.19.1073.00




RCTHW Soup Kettle Plate
X04.19.1072.00




RCTHW Steamer Plate
X04.19.1397.00



RCTHW Pasta Cooker Tray
X04.19.1075.00



RCTHW Noodles Ladle
X04.19.1195.00



4QT-PAN&LID



7QT-PAN&LID



FEBRUARY 1, 2009
 TELEPHONE: (414) 671-6350
 FAX: (414) 671-3976

Flav-R-Fresh® Impulse Display Cabinets

A profitable way to create impulse food sales is with the small Flav-R-Fresh Holding and Display Cabinet. Using controlled moisturized heat allows you to showcase

your product longer using minimum counter space.

IMPULSE CABINET

Model	Description	List Price	Dimensions (W x D x H)	Ship Weight
		220V		
FDWDE-1	1 Door w/Circle Rack	\$1995	492 x 530 x 727 mm (19 ³ / ₈ " x 20 ⁷ / ₈ " x 28 ⁵ / ₈ "	36 kg (80 lbs.)
FDWDE-1X	1 Door w/Multi-Purpose Rack	1964	492 x 530 x 727 mm (19 ³ / ₈ " x 20 ⁷ / ₈ " x 28 ⁵ / ₈ "	37 kg (82 lbs.)
FDWDE-2	2 Doors w/Circle Rack	2100.	492 x 559 x 727 mm (19 ³ / ₈ " x 22" x 28 ⁵ / ₈ "	39 kg (86 lbs.)
FDWDE-2X	2 Doors w/Multi-Purpose Rack	2069	492 x 559 x 727 mm (19 ³ / ₈ " x 22" x 28 ⁵ / ₈ "	40 kg (88 lbs.)



Model FDWDE-1 with rotating 4-tier circle rack

♦ Models FDWDE-1 and FDWDE-2 include rack motor. Models with "X" designator do not have revolving display and are NOT available for retrofit.
 ▼ Rack listed is included with unit. Other racks available – deduct price of included rack from rack ordered.
 • Deduct \$210. for non-humidified cabinet. Unit will only operate in dry mode.
 • Height includes standard legs.
 All Impulse Cabinets Feature:
 Voltage:220V, 50Hz, 1470 watts, 6.7 amps, CEE 7/7 Schuko and BS-1363 Plug.
 Cabinet Opening:400 W x 502 H mm (15³/₄" x 19³/₄")
 Door Hinges – Control Side:Left-hand side.
 – Customer Side (Two-door models only):Right-hand side.
 Max. Pizza Size:381 mm (15") diameter.
 Water Tank Capacity for Humidity System:2 liters (1/2 gallon).
 Cord Location:Facing controls, right-hand side panel, lower right corner.
 ALL FLAV-R-FRESH METAL SHEATHED AIR HEATING ELEMENTS WARRANTED AGAINST BURNOUT AND BREAKAGE FOR TWO YEARS.

OPTIONS (NOT FOR RETROFIT) –

Designer Colors –

RED Warm Red	\$315.	BLACK Black	\$315.	GRAY Gray Granite	\$315.
WHITE White Granite	315.	NAVY Navy Blue	315.	GREEN Hunter Green	315.

FDWD-3DIS Three Sided Sign Holder (Includes metal holder/hood and window). Available in all *Designer* colors to match your unit (Black is standard). Requires (3) signs 491 W x 168 H x 2 D mm (19⁵/₁₆" x 6⁵/₈" x 1/16") – not included (Only available for FDWD-1 and -1X units) **155.**

ACCESSORIES –

FDWD4TCR 4-Tier Circle Rack (Requires Coupling for -1X or -2X models)	\$174.
FDWD4SMP 4-Shelf Multi-Purpose Rack (Each shelf 346 W x 321 D mm (13 ⁵ / ₈ " x 12 ⁵ / ₈ ")	198.
FDWD4SAR 4-Shelf Angle Rack (Each shelf 356 W x 368 D mm (14" x 14 ¹ / ₂ ")	297.
FDWD3TPT 3-Tier Pretzel Tree (Requires Coupling for -1X or -2X models)	198.
COUPLING Motorless Rack Coupling for FDWD-1X and -2X Models (Select Circle Rack or Pretzel Tree)	32.
FDWD-LEGS 102 mm (4") Adjustable Legs (102-127 mm (4"-5")) with Brackets	56.
FDWD-DIS Merchandising Display Sign Holder (Includes metal holder and window) – one per side, three maximum. Available in all <i>Designer</i> colors to match your unit (Black is standard). Adds 32 mm (1 ¹ / ₄ ") to height of unit. Requires (1) sign 484 W x 83 H x 2 D mm (19 ¹ / ₁₆ " x 3 ¹ / ₄ " x 1/16") – not included	55.

Graphic Adhesive Decals (3 per set) 423 W x 140 H mm (16²/₁₆" x 5¹/₂") –

FDWD-PIZZA Three Pizza Photo Decals	111.
HOT PIZZA Three "Hot Pizza" Decals	37.
HOT PRETZEL Three "Hot Pretzels" Decals	37.

Steam-Max Rapid Steamer

Hatco's Steam-Max Rapid Steamer offers fast rethermalizing, steaming, warming and holding of all kinds of chilled foods, i.e. packaged dim sums, soups, rice, noodles,

sauces, meat, seafood and vegetables. The Steam-Max is great for kiosks, QSR, C-Stores, supermarkets, restaurants, schools, and even home and office pantries.

STEAM-MAX RAPID STEAMER

Model	Description	List Price	Dimensions (W x D x H)	Watts	Ship Weight
		230V			
STM-4G	Rapid Steamer	\$1156.	435 x 380 x 393 mm (17 ¹ / ₈ " x 15" x 15 ¹ / ₂ ")	2000	21 kg (46 lbs.)

All Steam-Max Models Feature:

Voltage:230V, 50 Hz, single phase, 2000 watts, 8.7 amps standard.
 Cabinet Openings:336 W x 235 H mm (13¹/₄" W x 9¹/₄" H).
 Cord Location:Facing controls, top right corner, back of unit.
 ALL STEAM-MAX UNITS WARRANTED FOR ONE YEAR PARTS AND LABOR.



Model STM-4G



Glo-Ray® Portable Foodwarmer

Opt for the versatility of Hatco's Glo-Ray® Portable Foodwarmers. These foodwarmers offer design flexibility without sacrificing food product quality. Ideal for use next to fry

stations, drive-through windows, and service areas that require frequent and easy access.

GLO-RAY® PORTABLE FOODWARMER WITH METAL SHEATHED ELEMENTS

Model	Description	List Price	Dimensions (W x D x H)	Watts	Ship Weight
GMFFL	Portable Foodwarmer	230V \$326.	329 x 643 x 438 mm (13" x 25 ³ / ₈ " x 17 ¹ / ₄ "	620	9 kg (20 lbs.)



Model GMFFL
Black standard

All GMFFL Models Feature:

Voltage:230, single phase.

Model GMFFL Shipped with:1829 mm (72") cord and plug, sign holder, and clear plastic insert for signholder.

Cord Location – GMFFL:Back, upper middle.

ALL GLO-RAY METAL SHEATHED HEATING ELEMENTS WARRANTED AGAINST BURNOUT AND BREAKAGE FOR TWO YEARS.

European Quick-Therm Salamander

A notch above a traditional salamander, the Hatco Quick-Therm Salamander incorporates many unique features, which serve to simplify operations and improve functionality.

With the Hatco Quick-Therm Salamander, you can now start cooking, grilling, reheating, or holding foods hot in just eight seconds!

QUICK-THERM SALAMANDER

Model	Description	List Price	Dimensions (W x D x H)	Watts	Ship Weight
QTS-1	Plate activation feature	230/400V \$4725.	570 x 533 x 518 mm (22 ¹ / ₂ " x 21" x 20 ³ / ₈ "	4500	58 kg (128 lbs.)



Model QTS-1

All Quick-Therm Salamander Models Feature:

Voltage:230/400V, 50/60 Hz, three phase.

Cooking Area:540 W x 365 D x 70-185 H mm (21¹/₄" W x 14³/₈" x 2³/₄"-7¹/₄" H).

Cord Location:Right side of back of unit near bottom.

ALL QUICK-THERM SALAMANDER UNITS WARRANTED FOR ONE YEAR PARTS.

Standard Export Warranty

- Hatco warrants the products that it manufactures to be free from defects in materials and workmanship, under normal use and service, for a period of 18 months from the date of shipment from Hatco.
- Such warranties do not cover: coated incandescent light bulbs, glass components or product failure caused by liming or sediment buildup in tanks, product misuse, tampering or misapplication, improper installation, application of improper voltage, or recalibration of thermostats or high limit switches.
- Labor is not included.
- Customer pays freight and/or delivery from Hatco facilities.
- Replacement parts available in Hong Kong warehouse subject to re-confirmation with Hong Kong office.



FEBRUARY 1, 2008
TELEPHONE: (414) 671-6350
FAX: (414) 671-3976